Beamer example

Usage of the theme `UiB`

Martin Helsø

UNIVERSITY OF BERGEN

Table of contents

1 **Overview**

2 **Mathematics**
- Theorem
- Example

3 **Highlighting**

4 **Lists**

5 **Effects**

6 **References**

Mathematics

Theorem (Fermat's little theorem)

For a prime p and $a \in \mathbb{Z}$ it holds that $a^p \equiv a \pmod{p}$.

Proof.

The invertible elements in a field form a group under multiplication. In particular, the elements

$$1, 2, \ldots, p-1 \in \mathbb{Z}_p$$

form a group under multiplication modulo p. This is a group of order $p-1$. For $a \in \mathbb{Z}_p$ and $a \neq 0$ we thus get $a^{p-1} = 1 \in \mathbb{Z}_p$. The claim follows. ∎

Mathematics

Example

The function $\varphi\colon \mathbb{R} \to \mathbb{R}$ given by $\varphi(x) = 2x$ is continuous at the point $x = \alpha$, because if $\epsilon > 0$ and $x \in \mathbb{R}$ is such that $|x - \alpha| < \delta = \frac{\epsilon}{2}$, then

$$|\varphi(x) - \varphi(\alpha)| = 2|x - \alpha| < 2\delta = \epsilon.$$

Highlighting

Some times it is useful to highlight certain words in the text.

Important message

If a lot of text should be highlighted, it is a good idea to put it in a box.

It is easy to match the colour theme.

Lists

- Bullet lists are marked with a red box.

1. Numbered lists are marked with a white number inside a red box.

Description highlights important words with red text.

Example

- Lists change colour after the environment.

Effects

1. Effects that control

Use textblock for arbitrary placement of objects.

Effects

1. Effects that control
2. when text is displayed

Use **textblock** for arbitrary placement of objects.

Theorem

This theorem is only visible on slide number 2.

Effects

1. Effects that control
2. when text is displayed
3. are specified with <> and a list of slides.

Use **textblock** for arbitrary placement of objects.

Effects

1. Effects that control
2. when text is displayed
3. are specified with <> and a list of slides.

Use **textblock** for arbitrary placement of objects.

Effects

1. Effects that control
2. when text is displayed
3. are specified with <> and a list of slides.

Use **textblock** for arbitrary placement of objects.

It creates a box with the specified width (here in a percentage of the slide's width) and upper left corner at the specified coordinate (x, y) (here x is a percentage of width and y a percentage of height).

References I

R. Hartshorne.
Algebraic Geometry.
Springer-Verlag, 1977.

M. Artin.
On isolated rational singularities of surfaces.
Amer. J. Math., 80(1):129–136, 1966.

R. Vakil.
The moduli space of curves and Gromov–Witten theory, 2006.
http://arxiv.org/abs/math/0602347

- M. Atiyah og I. Macdonald.
Introduction to commutative algebra.
Addison-Wesley Publishing Co., Reading, Mass.-London-Don Mills, Ont., 1969

References II

[5] J. Fraleigh.
A first course in abstract algebra.
Addison-Wesley Publishing Co., Reading, Mass.-London-Don Mills, Ont., 1967